



Deep recessed Downlight

Reduced glare for visual comfort

The new Philips Deep recessed downlight offers excellent light quality, high efficacy and full range in terms of lumen output. Available in four sizes to suit a wide variety of standard applications. This is a real professional choose for everyday lighting installations



Features and benefits

- Wide range of lumens – 120 ~ 3200lm
- 4 cut out sizes – D125/D150/D175
- Excellent optics – UGR 19
- Great color rendering - CRI 90
- IP54 – Suitable for bathroom, under eaves
- PF 0.9

Applications

- All indoor ceiling installations
- Commercial and retail building environments
- Shopping centers, restaurant, bathroom, etc.



Product highlights

- Product diversity
- Excellent light quality
- IP54 for the front cover
- Reliable performance – 30K hours L70

PHILIPS




Deep recessed Downlight

Specifications

	DN350B D125	DN350B D150	DN350B D175
Cut out size	D125	D150	D175
Power	12 W	20 W	32 W
Dimensions (Dia *H)	144 * 73mm	170 * 82mm	195 * 89mm
System lumens	1200 lm	2000 lm	3200lm
System efficacy	100lm/W		
CCT	3000K / 4000K / 6500K		
CRI	≥90		
Beam angle	55~60°		
IP / IK rating	IP54 (front cover) / IK03		
Housing material	Thermal plastic +Aluminum over molding		
Operating temperature	-20°C < Ta < +40°C		
Input Voltage	220-240V~ 50/60Hz		
Power factor	0.9		
Driver	External - Fixed output		
Lifetime	30,000 hours (L70B50 @ 25°C)		
Mounting type.	Recessed ceiling		

DN350B

Photometric files

**D125 LED12****D150 LED20****D175 LED32**

Deep recessed Downlight

Order information

12NC	Description
929002557708	DN350B LED12/WW 12W 220-240V D125
929002557808	DN350B LED12/NW 12W 220-240V D125
929002557908	DN350B LED12/CW 12W 220-240V D125
929002558308	DN350B LED20/WW 20W 220-240V D150
929002558408	DN350B LED20/NW 20W 220-240V D150
929002558508	DN350B LED20/CW 20W 220-240V D150
929002558908	DN350B LED32/WW 32W 220-240V D175
929002559008	DN350B LED32/NW 32W 220-240V D175
929002559108	DN350B LED32/CW 32W 220-240V D175